

## Lenawee

### MiPHY Regional Demographics Summary Middle School

The Michigan Profile for Healthy Youth (MiPHY) was completed by 7,9 and 11 grade students in Michigan. The results in this report reflect student survey responses from middle schools that voluntarily participated in your county and may not be representative of all middle schools in the county. Characteristics of the participating districts and buildings are as follows:

| Michigan Profile for Healthy Youth District Participation |                                      |                     |                         |
|---|--------------------------------------|---------------------|-------------------------|
|   | #                                    | Total               | %                       |
|   | Participating Districts <sup>1</sup> | Districts in County | Participating Districts |
| Public  | 11                                   | 13                  | 84.6%                   |
| Public Districts with Private School                      | 3                                    | 3                   | 100.0%                  |
| Public School Academy                                     | 0                                    | 0                   | 0.0%                    |
| <b>Total<sup>2</sup></b>                                  | <b>11</b>                            | <b>13</b>           | <b>84.6%</b>            |

<sup>1</sup> A district is counted as participating if at least one building takes the survey.

<sup>2</sup> Public districts may be represented in the "Public" and "Public District with Private School" categories, but are only counted once in the total.

| Michigan Profile for Healthy Youth Building Participation |                         |                                  |                         |
|---|-------------------------|----------------------------------|-------------------------|
|   | #                       | Total                            | %                       |
|   | Participating Buildings | Buildings in County <sup>3</sup> | Participating Buildings |
| Public  | 11                      | 26                               | 42.3%                   |
| Private   | 0                       | 9                                | 0.0%                    |
| Public School Academy                                     | 0                       | 0                                | 0.0%                    |
| <b>Total</b>  | <b>11</b>               | <b>26</b>                        | <b>42.3%</b>            |

<sup>3</sup> Buildings that include 7th grade in the county as identified in the Educational Entity Master.

Students completed an on-line, anonymous questionnaire. Survey procedures were designed to protect the privacy of students by allowing for anonymous and voluntary participation. Local parental notification procedures were followed before survey administration.

Reports on data results are aggregated across district. To preserve confidentiality, names and results of individual districts are not provided in this report.

The contents of this report were developed under a grant from the United States Department of Education (Safe and Supportive Schools Grant (CFDA #84.184Y)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government.

## Lenawee

### Student Demographics Summary Middle School

The Michigan Profile for Healthy Youth (MiPHY) was completed by 7, 9, and 11th grade students in Michigan. The results in this report reflect student survey responses from middle schools that voluntarily participated in your county and may not be representative of all middle school students in the county.

Characteristics of the participating middle school students are as follows:

|                     | N   | Missing | %      |                         | N   | Missing | %     |                                | N   | Missing | %     |
|---------------------|-----|---------|--------|-------------------------|-----|---------|-------|--------------------------------|-----|---------|-------|
| County (7th grade)  | 999 | 29      | 100.0% | <b><u>Gender</u></b>    |     |         |       | <b><u>Race / Ethnicity</u></b> |     |         |       |
|                     |     |         |        | Males                   | 509 | 18      | 51.0% | American Indian                | 32  | 0       | 3.2%  |
| <b><u>Grade</u></b> |     |         |        | Females                 | 487 | 11      | 48.7% | Arab/Chaldean                  | 8   | 3       | 0.8%  |
| 7th grade           | 999 | 17      | 100.0% | <b><u>Academics</u></b> |     |         |       | Asian                          | 8   | 0       | 0.8%  |
|                     |     |         |        | As/Bs                   | 711 | 14      | 71.2% | Black                          | 20  | 1       | 2.0%  |
|                     |     |         |        | Ds/Fs                   | 61  | 2       | 6.1%  | Hispanic/Latino                | 176 | 9       | 17.6% |
|                     |     |         |        |                         |     |         |       | White                          | 709 | 18      | 71.0% |

Students completed an on-line, anonymous questionnaire. Survey procedures were designed to protect the privacy of students by allowing for anonymous and voluntary participation. Local parental notification procedures were followed before survey administration.

Reports on data results are available by risk behavior and domain and are aggregated by each of the above subgroups, if possible. Results of any category are suppressed if less than 10 valid student responses are available and is identified by a "-." Comparison statewide data are provided from the Michigan Youth Risk Behavior Survey.

Notes and aggregation information:

N = Number of unweighted valid student surveys. Valid surveys are those containing at least 20 or more complete responses after data cleaning.  
Missing = number of non-valid student surveys that were removed due to data cleaning rules.  
% = the unweighted percentage of valid student surveys.

Academics uses student self-report of grades earned in school to estimate academic achievement. Students with high grades are those who report getting mostly As and mostly Bs; students with low grades are those who report getting mostly Ds and mostly Fs.  
Race/ethnicity was assessed through use of questions taken directly from the Youth Risk Behavior Survey developed by the Centers for Disease Control and Prevention. Students can select more than one race option. For this summary, students were classified as American Indian, Asian, Black (non-Hispanic), or White (non-Hispanic) if they only selected the respective group. Students were classified as Hispanic/Latino if they answered yes to, "Are you Hispanic or Latino?" Students were classified as Arab/Chaldean if they answered yes to "Are you Arab or Chaldean?" Dissaggregation of the race/ethnicity categories for those who indicated, "Native Hawaiian or Other Pacific Islander" and Multiple Race (includes students who selected more than one race category and answered no to, "Are you Hispanic or Latino?" or no to "Are you Arab or Chaldean?") has been suppressed.

The contents of this report were developed under a grant from the United States Department of Education (Safe and Supportive Schools Grant (CFDA #84.184Y)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government.

## Lenawee

### Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade          | Gender         |                | Race/Ethnicity |                |                     |                    |       |                   | Academics      |               |
|--|---------------------|----------------|----------------|----------------|----------------|----------------|---------------------|--------------------|-------|-------------------|----------------|---------------|
|  | County <sup>1</sup> | 7              | M              | F              | Black          | White          | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs          | Ds/Fs         |
| <b>Attitudes Toward Tobacco</b>  |                     |                |                |                |                |                |                     |                    |       |                   |                |               |
| Percentage of students who reported sort of easy or very easy to get cigarettes                                    | 27.1%<br>(255)      | 27.1%<br>(255) | 26.4%<br>(127) | 27.8%<br>(128) | 36.8%<br>(7)   | 23.9%<br>(160) | 32.5%<br>(54)       | 25.8%<br>(8)       | -     | -                 | 24.9%<br>(167) | 28.1%<br>(16) |
| Percentage of students who were exposed to second hand smoke during the past 7 days                                | 41.2%<br>(372)      | 41.2%<br>(372) | 39.0%<br>(176) | 43.4%<br>(195) | 47.4%<br>(9)   | 38.4%<br>(247) | 46.5%<br>(74)       | 30.8%<br>(8)       | -     | -                 | 36.8%<br>(240) | 52.9%<br>(27) |
| Percentage of students that think none (0%) of the students in their grade smoke one or more cigarettes a day      | 44.2%<br>(399)      | 44.2%<br>(399) | 50.9%<br>(228) | 37.9%<br>(171) | 52.6%<br>(10)  | 44.0%<br>(284) | 46.5%<br>(72)       | 37.0%<br>(10)      | -     | -                 | 42.0%<br>(273) | 45.1%<br>(23) |
| Percentage of students who reported smoking one or more packs of cigarettes per day to be a moderate or great risk | 77.9%<br>(749)      | 77.9%<br>(749) | 78.4%<br>(381) | 77.6%<br>(368) | 68.4%<br>(13)  | 80.2%<br>(548) | 73.7%<br>(123)      | 66.7%<br>(20)      | -     | -                 | 82.8%<br>(570) | 54.5%<br>(30) |
| Percentage of students who were exposed to second hand smoke daily during the past 7 days                          | 11.3%<br>(102)      | 11.3%<br>(102) | 9.3%<br>(42)   | 13.1%<br>(59)  | 21.1%<br>(4)   | 9.0%<br>(58)   | 13.8%<br>(22)       | 15.4%<br>(4)       | -     | -                 | 8.1%<br>(53)   | 19.6%<br>(10) |
| Percentage of students that think few (1-10%) of the students in their grade smoke one or more cigarettes a day    | 36.4%<br>(328)      | 36.4%<br>(328) | 30.6%<br>(137) | 41.9%<br>(189) | 15.8%<br>(3)   | 36.7%<br>(237) | 32.9%<br>(51)       | 51.9%<br>(14)      | -     | -                 | 40.3%<br>(262) | 23.5%<br>(12) |
| Percentage of students who smoked a whole cigarette for the first time before age 11 years                         | 3.1%<br>(31)        | 3.1%<br>(31)   | 3.4%<br>(17)   | 2.9%<br>(14)   | 10.0%<br>(2)   | 2.0%<br>(14)   | 5.7%<br>(10)        | 3.2%<br>(1)        | -     | -                 | 1.6%<br>(11)   | 8.5%<br>(5)   |
| Percentage of students who had ever been told by a doctor or nurse that they had asthma                            | 21.7%<br>(199)      | 21.7%<br>(199) | 24.2%<br>(110) | 19.1%<br>(88)  | 30.0%<br>(6)   | 19.2%<br>(126) | 31.3%<br>(50)       | 29.6%<br>(8)       | -     | -                 | 20.6%<br>(136) | 28.3%<br>(15) |
| Percentage of students that think some (11-30%) of the students in their grade smoke one or more cigarettes a day  | 9.2%<br>(83)        | 9.2%<br>(83)   | 9.4%<br>(42)   | 9.1%<br>(41)   | 10.5%<br>(2)   | 10.5%<br>(68)  | 5.8%<br>(9)         | 7.4%<br>(2)        | -     | -                 | 9.4%<br>(61)   | 11.8%<br>(6)  |



# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade          | Gender        |               | Race/Ethnicity |               |                     |                    |       |                   | Academics      |               |
|--|---------------------|----------------|---------------|---------------|----------------|---------------|---------------------|--------------------|-------|-------------------|----------------|---------------|
|  | County <sup>1</sup> | 7              | M             | F             | Black          | White         | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs          | Ds/Fs         |
| Average age of first tobacco use (Note: Not a percentage)  | 10.8                | 10.8           | 10.5          | 11.0          | -              | 10.8          | 10.8                | -                  | -     | -                 | 10.9           | 10.7          |
| Percentage of students who reported they thought all of their friends had smoked cigarettes recently   | 2.3%<br>(22)        | 2.3%<br>(22)   | 3.3%<br>(16)  | 1.3%<br>(6)   | 5.0%<br>(1)    | 1.6%<br>(11)  | 1.8%<br>(3)         | 10.0%<br>(3)       | -     | -                 | 2.0%<br>(14)   | 3.5%<br>(2)   |
| Percentage of students who had been told by a doctor or nurse that they had asthma and still have asthma (i.e. current asthma)                           | 60.3%<br>(120)      | 60.3%<br>(120) | 58.2%<br>(64) | 62.5%<br>(55) | -              | 59.5%<br>(75) | 60.0%<br>(30)       | -                  | -     | -                 | 55.1%<br>(75)  | 53.3%<br>(8)  |
| Percentage of students that think half or less (31-50%) of the students in their grade smoke one or more cigarettes a day                                | 5.4%<br>(49)        | 5.4%<br>(49)   | 4.9%<br>(22)  | 5.8%<br>(26)  | 15.8%<br>(3)   | 4.8%<br>(31)  | 8.4%<br>(13)        | 3.7%<br>(1)        | -     | -                 | 4.8%<br>(31)   | 11.8%<br>(6)  |
| Percentage of students who smoked cigarettes during the past 30 days   | 5.1%<br>(51)        | 5.1%<br>(51)   | 4.8%<br>(24)  | 5.6%<br>(27)  | 10.0%<br>(2)   | 3.8%<br>(27)  | 7.4%<br>(13)        | 12.9%<br>(4)       | -     | -                 | 2.4%<br>(17)   | 17.2%<br>(10) |
| Percentage of students who reported they thought most of their friends had smoked cigarettes recently  | 1.5%<br>(15)        | 1.5%<br>(15)   | 1.0%<br>(5)   | 1.9%<br>(9)   | 5.0%<br>(1)    | 0.9%<br>(6)   | 2.4%<br>(4)         | 6.7%<br>(2)        | -     | -                 | 1.1%<br>(8)    | 1.8%<br>(1)   |
| Percentage of students that think half or more (51-70%) of the students in their grade smoke one or more cigarettes a day                                | 2.8%<br>(25)        | 2.8%<br>(25)   | 2.0%<br>(9)   | 3.5%<br>(16)  | 0.0%<br>(0)    | 2.5%<br>(16)  | 2.6%<br>(4)         | 0.0%<br>(0)        | -     | -                 | 2.2%<br>(14)   | 5.9%<br>(3)   |
| Percentage of students who smoked cigarettes on 20 or more of the past 30 days (Frequent)  | 0.6%<br>(6)         | 0.6%<br>(6)    | 0.8%<br>(4)   | 0.4%<br>(2)   | 5.0%<br>(1)    | 0.3%<br>(2)   | 1.1%<br>(2)         | 3.2%<br>(1)        | -     | -                 | 0.3%<br>(2)    | 0.0%<br>(0)   |
| Percentage of students who reported they thought some of their friends had smoked cigarettes recently  | 16.4%<br>(159)      | 16.4%<br>(159) | 15.3%<br>(75) | 17.4%<br>(83) | 20.0%<br>(4)   | 13.2%<br>(91) | 29.3%<br>(49)       | 16.7%<br>(5)       | -     | -                 | 14.4%<br>(101) | 26.3%<br>(15) |
| Percentage of students that think most (71-90%) of the students in their grade smoke one or more cigarettes a day  | 1.1%<br>(10)        | 1.1%<br>(10)   | 0.9%<br>(4)   | 1.3%<br>(6)   | 0.0%<br>(0)    | 1.1%<br>(7)   | 1.9%<br>(3)         | 0.0%<br>(0)        | -     | -                 | 1.1%<br>(7)    | 0.0%<br>(0)   |
| Among students who smoked recently, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days | 4.3%<br>(2)         | 4.3%<br>(2)    | 4.5%<br>(1)   | 4.0%<br>(1)   | -              | 3.8%<br>(1)   | 0.0%<br>(0)         | -                  | -     | -                 | 6.3%<br>(1)    | -             |

# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade          | Gender         |                | Race/Ethnicity |                |                     |                    |       |                   | Academics      |               |
|--|---------------------|----------------|----------------|----------------|----------------|----------------|---------------------|--------------------|-------|-------------------|----------------|---------------|
|  | County <sup>1</sup> | 7              | M              | F              | Black          | White          | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs          | Ds/Fs         |
| Percentage of students who reported they thought none of their friends had smoked cigarettes recently  | 79.8%<br>(774)      | 79.8%<br>(774) | 80.4%<br>(395) | 79.4%<br>(378) | 70.0%<br>(14)  | 84.4%<br>(584) | 66.5%<br>(111)      | 66.7%<br>(20)      | -     | -                 | 82.5%<br>(578) | 68.4%<br>(39) |
| Percentage of students that think almost all (91-100%) of the students in their grade smoke one or more cigarettes a day   | 0.9%<br>(8)         | 0.9%<br>(8)    | 1.3%<br>(6)    | 0.4%<br>(2)    | 5.3%<br>(1)    | 0.5%<br>(3)    | 1.9%<br>(3)         | 0.0%<br>(0)        | -     | -                 | 0.3%<br>(2)    | 2.0%<br>(1)   |
| Among students who smoked recently, the percentage who usually got their own cigarettes by buying them from a vending machine during the past 30 days                | 2.1%<br>(1)         | 2.1%<br>(1)    | 4.5%<br>(1)    | 0.0%<br>(0)    | -              | 0.0%<br>(0)    | 0.0%<br>(0)         | -                  | -     | -                 | 0.0%<br>(0)    | -             |
| Percentage of students who reported their parents felt cigarette use to be wrong or very wrong   | 98.0%<br>(949)      | 98.0%<br>(949) | 98.4%<br>(483) | 97.7%<br>(463) | 95.0%<br>(19)  | 98.6%<br>(681) | 98.8%<br>(165)      | 93.3%<br>(28)      | -     | -                 | 98.1%<br>(684) | 94.7%<br>(54) |
| Among students who smoked recently, the percentage who usually got their own cigarettes by giving someone else money to buy them during the past 30 days             | 14.9%<br>(7)        | 14.9%<br>(7)   | 18.2%<br>(4)   | 12.0%<br>(3)   | -              | 7.7%<br>(2)    | 33.3%<br>(4)        | -                  | -     | -                 | 6.3%<br>(1)    | -             |
| Among students who smoked recently, the percentage who usually got their own cigarettes by borrowing or bumming them from someone else during the past 30 days       | 19.1%<br>(9)        | 19.1%<br>(9)   | 9.1%<br>(2)    | 28.0%<br>(7)   | -              | 19.2%<br>(5)   | 16.7%<br>(2)        | -                  | -     | -                 | 25.0%<br>(4)   | -             |
| Among students who smoked recently, the percentage who usually got their own cigarettes from a person 18 years old or older during the past 30 days                  | 6.4%<br>(3)         | 6.4%<br>(3)    | 4.5%<br>(1)    | 8.0%<br>(2)    | -              | 0.0%<br>(0)    | 16.7%<br>(2)        | -                  | -     | -                 | 6.3%<br>(1)    | -             |
| Among students who smoked recently, the percentage who usually got their own cigarettes by taking them from a store during the past 30 days                          | 0.0%<br>(0)         | 0.0%<br>(0)    | 0.0%<br>(0)    | 0.0%<br>(0)    | -              | 0.0%<br>(0)    | 0.0%<br>(0)         | -                  | -     | -                 | 0.0%<br>(0)    | -             |
| Among students who smoked recently, the percentage who usually got their own cigarettes by taking them from a family member during the past 30 days                  | 25.5%<br>(12)       | 25.5%<br>(12)  | 22.7%<br>(5)   | 28.0%<br>(7)   | -              | 38.5%<br>(10)  | 8.3%<br>(1)         | -                  | -     | -                 | 25.0%<br>(4)   | -             |
| Among students who smoked recently, the percentage who usually got their own cigarettes by some other way than the question options provided during the past 30 days | 27.7%<br>(13)       | 27.7%<br>(13)  | 36.4%<br>(8)   | 20.0%<br>(5)   | -              | 30.8%<br>(8)   | 25.0%<br>(3)        | -                  | -     | -                 | 31.3%<br>(5)   | -             |
| Percentage of students who smoked cigarettes on school property during the past 30 days  | 0.8%<br>(8)         | 0.8%<br>(8)    | 0.8%<br>(4)    | 0.8%<br>(4)    | 0.0%<br>(0)    | 0.7%<br>(5)    | 0.6%<br>(1)         | 6.5%<br>(2)        | -     | -                 | 0.3%<br>(2)    | 3.4%<br>(2)   |

# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade          | Gender         |                | Race/Ethnicity |                |                     |                    |       |                   | Academics      |               |
|--|---------------------|----------------|----------------|----------------|----------------|----------------|---------------------|--------------------|-------|-------------------|----------------|---------------|
|  | County <sup>1</sup> | 7              | M              | F              | Black          | White          | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs          | Ds/Fs         |
| Percentage of students who used chewing tobacco, snuff, or dip during the past 30 days   | 2.5%<br>(25)        | 2.5%<br>(25)   | 3.2%<br>(16)   | 1.9%<br>(9)    | 0.0%<br>(0)    | 2.3%<br>(16)   | 1.7%<br>(3)         | 12.9%<br>(4)       | -     | -                 | 1.0%<br>(7)    | 10.2%<br>(6)  |
| Percentage of students who used chewing tobacco, snuff, or dip on school property during the past 30 days  | 0.9%<br>(9)         | 0.9%<br>(9)    | 1.2%<br>(6)    | 0.6%<br>(3)    | 5.0%<br>(1)    | 0.7%<br>(5)    | 0.6%<br>(1)         | 6.5%<br>(2)        | -     | -                 | 0.6%<br>(4)    | 0.0%<br>(0)   |
| Percentage of students who smoked cigars, cigarillos, or little cigars during the past 30 days   | 3.0%<br>(30)        | 3.0%<br>(30)   | 3.2%<br>(16)   | 2.9%<br>(14)   | 5.0%<br>(1)    | 2.1%<br>(15)   | 4.0%<br>(7)         | 12.9%<br>(4)       | -     | -                 | 1.8%<br>(13)   | 5.1%<br>(3)   |
| Percentage of students who used any tobacco (smoked cigarettes or cigars or used chewing tobacco, snuff, or dip) during the past 30 days                             | 6.0%<br>(59)        | 6.0%<br>(59)   | 5.2%<br>(26)   | 6.9%<br>(33)   | 10.0%<br>(2)   | 4.4%<br>(31)   | 9.2%<br>(16)        | 16.1%<br>(5)       | -     | -                 | 3.0%<br>(21)   | 19.0%<br>(11) |
| <b>Attitudes Toward Alcohol</b>  |                     |                |                |                |                |                |                     |                    |       |                   |                |               |
| Percentage of students who reported sort of easy or very easy to get alcohol   | 33.3%<br>(313)      | 33.3%<br>(313) | 32.0%<br>(154) | 34.9%<br>(159) | 36.8%<br>(7)   | 32.6%<br>(218) | 33.3%<br>(55)       | 23.3%<br>(7)       | -     | -                 | 33.7%<br>(225) | 28.1%<br>(16) |
| Percentage of students who reported having five or more drinks of alcohol once or twice each weekend to be a moderate or great risk                                  | 64.3%<br>(613)      | 64.3%<br>(613) | 62.1%<br>(301) | 66.7%<br>(312) | 57.9%<br>(11)  | 66.9%<br>(455) | 61.0%<br>(100)      | 53.3%<br>(16)      | -     | -                 | 70.2%<br>(480) | 38.9%<br>(21) |
| Percentage of students who reported taking one or two drinks of an alcoholic beverage nearly every day to be of moderate or great risk                               | 56.5%<br>(540)      | 56.5%<br>(540) | 53.9%<br>(261) | 59.2%<br>(279) | 61.1%<br>(11)  | 59.4%<br>(405) | 49.1%<br>(81)       | 46.7%<br>(14)      | -     | -                 | 60.5%<br>(415) | 36.4%<br>(20) |
| Percentage of students who reported their parents felt having one or two drinks of an alcoholic beverage nearly every day to be wrong or very wrong                  | 97.1%<br>(937)      | 97.1%<br>(937) | 97.8%<br>(479) | 96.4%<br>(455) | 95.0%<br>(19)  | 98.3%<br>(679) | 95.7%<br>(157)      | 90.0%<br>(27)      | -     | -                 | 97.6%<br>(677) | 94.7%<br>(54) |
| Percentage of students who reported their friends felt having one or two drinks of an alcoholic beverage nearly every day to be wrong or very wrong                  | 88.7%<br>(853)      | 88.7%<br>(853) | 88.0%<br>(431) | 89.4%<br>(420) | 84.2%<br>(16)  | 91.0%<br>(627) | 83.4%<br>(136)      | 76.7%<br>(23)      | -     | -                 | 91.2%<br>(630) | 82.5%<br>(47) |
| Percentage of students who reported that they somewhat disapprove or strongly disapprove of peers having one or two drinks of an alcoholic beverage nearly every day | 75.4%<br>(726)      | 75.4%<br>(726) | 73.5%<br>(357) | 77.6%<br>(368) | 68.4%<br>(13)  | 78.7%<br>(539) | 67.1%<br>(112)      | 64.5%<br>(20)      | -     | -                 | 82.6%<br>(569) | 49.1%<br>(28) |

# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade          | Gender         |                | Race/Ethnicity |                |                     |                    |       |                   | Academics      |               |
|--|---------------------|----------------|----------------|----------------|----------------|----------------|---------------------|--------------------|-------|-------------------|----------------|---------------|
|  | County <sup>1</sup> | 7              | M              | F              | Black          | White          | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs          | Ds/Fs         |
| Percentage of students who reported they thought all of their friends had been drunk recently  | 2.1%<br>(20)        | 2.1%<br>(20)   | 3.1%<br>(15)   | 1.1%<br>(5)    | 5.0%<br>(1)    | 1.6%<br>(11)   | 1.2%<br>(2)         | 10.0%<br>(3)       | -     | -                 | 1.7%<br>(12)   | 1.8%<br>(1)   |
| Percentage of students who reported they thought most of their friends had been drunk recently   | 1.3%<br>(13)        | 1.3%<br>(13)   | 1.2%<br>(6)    | 1.5%<br>(7)    | 5.0%<br>(1)    | 1.2%<br>(8)    | 1.2%<br>(2)         | 3.3%<br>(1)        | -     | -                 | 1.0%<br>(7)    | 0.0%<br>(0)   |
| Percentage of students who reported they thought some of their friends had been drunk recently   | 12.3%<br>(119)      | 12.3%<br>(119) | 10.6%<br>(52)  | 14.1%<br>(67)  | 10.0%<br>(2)   | 10.1%<br>(70)  | 21.2%<br>(35)       | 10.0%<br>(3)       | -     | -                 | 10.8%<br>(75)  | 21.1%<br>(12) |
| Percentage of students who reported they thought none of their friends had been drunk recently   | 84.3%<br>(815)      | 84.3%<br>(815) | 85.1%<br>(417) | 83.3%<br>(395) | 80.0%<br>(16)  | 87.1%<br>(602) | 76.4%<br>(126)      | 76.7%<br>(23)      | -     | -                 | 86.5%<br>(603) | 77.2%<br>(44) |
| <b>Alcohol</b>   |                     |                |                |                |                |                |                     |                    |       |                   |                |               |
| Percentage of students whose parents or other adults in their family ever talked with them about what they expected them to do or not to do when it comes to alcohol or other drug use | 66.8%<br>(643)      | 66.8%<br>(643) | 67.5%<br>(330) | 66.5%<br>(313) | 65.0%<br>(13)  | 66.3%<br>(454) | 67.9%<br>(112)      | 67.7%<br>(21)      | -     | -                 | 68.6%<br>(477) | 74.5%<br>(41) |
| Percentage of students who had their first drink of alcohol other than a few sips before age 11 years  | 7.8%<br>(77)        | 7.8%<br>(77)   | 9.3%<br>(47)   | 6.2%<br>(30)   | 15.0%<br>(3)   | 7.3%<br>(51)   | 6.9%<br>(12)        | 9.7%<br>(3)        | -     | -                 | 5.7%<br>(40)   | 18.6%<br>(11) |
| Average age of first alcohol use (Note: Not a percentage)  | 10.7                | 10.7           | 10.4           | 11.0           | -              | 10.6           | 11.2                | -                  | -     | -                 | 10.8           | 10.5          |
| Percentage of students who had at least one drink of alcohol during the past 30 days   | 7.9%<br>(78)        | 7.9%<br>(78)   | 6.2%<br>(31)   | 9.7%<br>(47)   | 15.8%<br>(3)   | 6.5%<br>(46)   | 11.0%<br>(19)       | 16.1%<br>(5)       | -     | -                 | 6.1%<br>(43)   | 17.2%<br>(10) |
| Percentage of students who got drunk for the first time before age 11 years  | 2.0%<br>(20)        | 2.0%<br>(20)   | 2.4%<br>(12)   | 1.7%<br>(8)    | 10.0%<br>(2)   | 1.1%<br>(8)    | 2.9%<br>(5)         | 3.2%<br>(1)        | -     | -                 | 1.1%<br>(8)    | 8.6%<br>(5)   |
| Average age of first time being drunk (Note: Not a percentage)   | 11.2                | 11.2           | 11.1           | 11.4           | -              | 11.5           | 11.6                | -                  | -     | -                 | 11.5           | 10.6          |



# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade         | Gender        |               | Race/Ethnicity |               |                     |                    |       |                   | Academics     |              |
|--|---------------------|---------------|---------------|---------------|----------------|---------------|---------------------|--------------------|-------|-------------------|---------------|--------------|
|  | County <sup>1</sup> | 7             | M             | F             | Black          | White         | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs         | Ds/Fs        |
| Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days   | 3.6%<br>(36)        | 3.6%<br>(36)  | 3.6%<br>(18)  | 3.7%<br>(18)  | 15.0%<br>(3)   | 2.6%<br>(18)  | 6.3%<br>(11)        | 3.3%<br>(1)        | -     | -                 | 2.3%<br>(16)  | 12.1%<br>(7) |
| Percentage of students who had at least one drink of alcohol on school property during the past 30 days  | 1.1%<br>(11)        | 1.1%<br>(11)  | 0.4%<br>(2)   | 1.9%<br>(9)   | 0.0%<br>(0)    | 0.6%<br>(4)   | 2.9%<br>(5)         | 6.5%<br>(2)        | -     | -                 | 0.8%<br>(6)   | 1.7%<br>(1)  |
| Among students who drank recently, the percentage who usually got their own alcohol by buying it in a store or gas station during the past 30 days                             | 0.0%<br>(0)         | 0.0%<br>(0)   | 0.0%<br>(0)   | 0.0%<br>(0)   | -              | 0.0%<br>(0)   | 0.0%<br>(0)         | -                  | -     | -                 | 0.0%<br>(0)   | -            |
| Among students who drank recently, the percentage who usually got their own alcohol by buying it at a restaurant, bar, or club during the past 30 days                         | 1.6%<br>(1)         | 1.6%<br>(1)   | 3.7%<br>(1)   | 0.0%<br>(0)   | -              | 3.1%<br>(1)   | 0.0%<br>(0)         | -                  | -     | -                 | 0.0%<br>(0)   | -            |
| Among students who drank recently, the percentage who usually got their own alcohol by buying it at a public event such as a concert or sporting event during the past 30 days | 0.0%<br>(0)         | 0.0%<br>(0)   | 0.0%<br>(0)   | 0.0%<br>(0)   | -              | 0.0%<br>(0)   | 0.0%<br>(0)         | -                  | -     | -                 | 0.0%<br>(0)   | -            |
| Among students who drank recently, the percentage who usually got their own alcohol by giving someone else money to buy it during the past 30 days                             | 6.6%<br>(4)         | 6.6%<br>(4)   | 11.1%<br>(3)  | 2.9%<br>(1)   | -              | 0.0%<br>(0)   | 12.5%<br>(2)        | -                  | -     | -                 | 6.3%<br>(2)   | -            |
| Among students who drank recently, the percentage who usually got their own alcohol by someone giving it to them during the past 30 days                                       | 37.7%<br>(23)       | 37.7%<br>(23) | 33.3%<br>(9)  | 41.2%<br>(14) | -              | 34.4%<br>(11) | 31.3%<br>(5)        | -                  | -     | -                 | 40.6%<br>(13) | -            |
| Among students who drank recently, the percentage who usually got their own alcohol by taking it from a store during the past 30 days  | 0.0%<br>(0)         | 0.0%<br>(0)   | 0.0%<br>(0)   | 0.0%<br>(0)   | -              | 0.0%<br>(0)   | 0.0%<br>(0)         | -                  | -     | -                 | 0.0%<br>(0)   | -            |
| Among students who drank recently, the percentage who usually got their own alcohol by taking it from a family member during the past 30 days                                  | 32.8%<br>(20)       | 32.8%<br>(20) | 40.7%<br>(11) | 26.5%<br>(9)  | -              | 37.5%<br>(12) | 31.3%<br>(5)        | -                  | -     | -                 | 31.3%<br>(10) | -            |
| Among students who drank recently, the percentage who usually got their own alcohol by some other way than the question options provided during the past 30 days               | 21.3%<br>(13)       | 21.3%<br>(13) | 11.1%<br>(3)  | 29.4%<br>(10) | -              | 25.0%<br>(8)  | 25.0%<br>(4)        | -                  | -     | -                 | 21.9%<br>(7)  | -            |
| Among students who drank recently, the percentage who usually drank alcohol at home during the past 30 days  | 51.4%<br>(38)       | 51.4%<br>(38) | 46.9%<br>(15) | 54.8%<br>(23) | -              | 57.5%<br>(23) | 37.5%<br>(6)        | -                  | -     | -                 | 61.9%<br>(26) | -            |

# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|   |                     | Grade          | Gender         |                | Race/Ethnicity |                |                     |                    |       |                   | Academics      |               |
|---|---------------------|----------------|----------------|----------------|----------------|----------------|---------------------|--------------------|-------|-------------------|----------------|---------------|
|   | County <sup>1</sup> | 7              | M              | F              | Black          | White          | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs          | Ds/Fs         |
| Among students who drank recently, the percentage who usually drank alcohol at another person's home during the past 30 days                                | 36.5%<br>(27)       | 36.5%<br>(27)  | 37.5%<br>(12)  | 35.7%<br>(15)  | -              | 27.5%<br>(11)  | 56.3%<br>(9)        | -                  | -     | -                 | 28.6%<br>(12)  | -             |
| Among students who drank recently, the percentage who usually drank alcohol while riding in or driving a car or other vehicle during the past 30 days       | 1.4%<br>(1)         | 1.4%<br>(1)    | 3.1%<br>(1)    | 0.0%<br>(0)    | -              | 0.0%<br>(0)    | 6.3%<br>(1)         | -                  | -     | -                 | 0.0%<br>(0)    | -             |
| Among students who drank recently, the percentage who usually drank alcohol at a restaurant, bar, or club during the past 30 days                           | 4.1%<br>(3)         | 4.1%<br>(3)    | 6.3%<br>(2)    | 2.4%<br>(1)    | -              | 5.0%<br>(2)    | 0.0%<br>(0)         | -                  | -     | -                 | 4.8%<br>(2)    | -             |
| Among students who drank recently, the percentage who usually drank alcohol at a public place such as a park, beach, or parking lot during the past 30 days | 4.1%<br>(3)         | 4.1%<br>(3)    | 0.0%<br>(0)    | 7.1%<br>(3)    | -              | 7.5%<br>(3)    | 0.0%<br>(0)         | -                  | -     | -                 | 4.8%<br>(2)    | -             |
| Among students who drank recently, the percentage who usually drank alcohol at a public event such as a concert or sporting event during the past 30 days   | 0.0%<br>(0)         | 0.0%<br>(0)    | 0.0%<br>(0)    | 0.0%<br>(0)    | -              | 0.0%<br>(0)    | 0.0%<br>(0)         | -                  | -     | -                 | 0.0%<br>(0)    | -             |
| Among students who drank recently, the percentage who usually drank alcohol on school property during the past 30 days                                      | 2.7%<br>(2)         | 2.7%<br>(2)    | 6.3%<br>(2)    | 0.0%<br>(0)    | -              | 2.5%<br>(1)    | 0.0%<br>(0)         | -                  | -     | -                 | 0.0%<br>(0)    | -             |
| Percentage of students who ever rode in a car driven by someone who had been drinking alcohol   | 25.2%<br>(244)      | 25.2%<br>(244) | 22.1%<br>(109) | 28.5%<br>(134) | 16.7%<br>(3)   | 22.9%<br>(158) | 31.2%<br>(54)       | 27.6%<br>(8)       | -     | -                 | 24.0%<br>(166) | 32.8%<br>(19) |
| <b>Attitudes Toward Other Drugs</b>   |                     |                |                |                |                |                |                     |                    |       |                   |                |               |
| Percentage of students who reported sort of easy or very easy to get marijuana  | 16.7%<br>(157)      | 16.7%<br>(157) | 16.0%<br>(77)  | 17.5%<br>(80)  | 26.3%<br>(5)   | 12.6%<br>(84)  | 28.3%<br>(47)       | 22.6%<br>(7)       | -     | -                 | 15.3%<br>(102) | 22.4%<br>(13) |
| Percentage of students who reported smoking marijuana once or twice a week to be of moderate or great risk  | 59.4%<br>(564)      | 59.4%<br>(564) | 58.0%<br>(279) | 60.9%<br>(285) | 42.1%<br>(8)   | 63.0%<br>(426) | 51.2%<br>(84)       | 50.0%<br>(15)      | -     | -                 | 67.2%<br>(457) | 37.0%<br>(20) |
| Percentage of students who reported their parents felt marijuana use to be wrong or very wrong  | 96.8%<br>(931)      | 96.8%<br>(931) | 97.1%<br>(476) | 96.4%<br>(452) | 85.0%<br>(17)  | 98.0%<br>(673) | 95.8%<br>(159)      | 93.3%<br>(28)      | -     | -                 | 97.3%<br>(673) | 94.6%<br>(53) |



# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade          | Gender         |                | Race/Ethnicity |                |                     |                    |       |                   | Academics      |               |
|--|---------------------|----------------|----------------|----------------|----------------|----------------|---------------------|--------------------|-------|-------------------|----------------|---------------|
|  | County <sup>1</sup> | 7              | M              | F              | Black          | White          | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs          | Ds/Fs         |
| Percentage of students who reported their friends felt smoking marijuana to be wrong or very wrong                               | 86.6%<br>(834)      | 86.6%<br>(834) | 87.1%<br>(425) | 86.2%<br>(407) | 73.7%<br>(14)  | 90.1%<br>(620) | 77.6%<br>(128)      | 73.3%<br>(22)      | -     | -                 | 89.7%<br>(620) | 70.2%<br>(40) |
| Percentage of students who reported they thought all of their friends had used marijuana recently                                | 2.5%<br>(24)        | 2.5%<br>(24)   | 3.3%<br>(16)   | 1.7%<br>(8)    | 10.5%<br>(2)   | 1.7%<br>(12)   | 2.4%<br>(4)         | 6.7%<br>(2)        | -     | -                 | 2.0%<br>(14)   | 3.5%<br>(2)   |
| Percentage of students who reported they thought most of their friends had used marijuana recently                               | 2.5%<br>(24)        | 2.5%<br>(24)   | 1.2%<br>(6)    | 3.8%<br>(18)   | 10.5%<br>(2)   | 1.7%<br>(12)   | 4.3%<br>(7)         | 3.3%<br>(1)        | -     | -                 | 1.4%<br>(10)   | 7.0%<br>(4)   |
| Percentage of students who reported they thought some of their friends had used marijuana recently                               | 14.6%<br>(140)      | 14.6%<br>(140) | 13.2%<br>(64)  | 15.9%<br>(75)  | 15.8%<br>(3)   | 11.1%<br>(76)  | 27.4%<br>(45)       | 20.0%<br>(6)       | -     | -                 | 13.3%<br>(92)  | 26.3%<br>(15) |
| Percentage of students who reported they thought none of their friends had used marijuana recently                               | 80.4%<br>(772)      | 80.4%<br>(772) | 82.3%<br>(400) | 78.6%<br>(370) | 63.2%<br>(12)  | 85.4%<br>(587) | 65.9%<br>(108)      | 70.0%<br>(21)      | -     | -                 | 83.3%<br>(577) | 63.2%<br>(36) |
| Percentage of students who reported using prescription drugs that are not prescribed to them has moderate or great risk          | 72.1%<br>(688)      | 72.1%<br>(688) | 70.9%<br>(344) | 73.5%<br>(344) | 68.4%<br>(13)  | 73.3%<br>(499) | 69.9%<br>(114)      | 70.0%<br>(21)      | -     | -                 | 75.7%<br>(519) | 46.3%<br>(25) |
| Percentage of students who reported their parents felt using prescription drugs not prescribed to them to be wrong or very wrong | 97.6%<br>(927)      | 97.6%<br>(927) | 98.3%<br>(474) | 96.8%<br>(450) | 94.7%<br>(18)  | 98.0%<br>(669) | 99.4%<br>(160)      | 86.7%<br>(26)      | -     | -                 | 97.4%<br>(670) | 96.4%<br>(53) |
| Percentage of students who reported their friends felt using prescription drugs not prescribed to them to be wrong or very wrong | 92.5%<br>(890)      | 92.5%<br>(890) | 91.6%<br>(447) | 93.4%<br>(440) | 84.2%<br>(16)  | 93.0%<br>(639) | 94.6%<br>(157)      | 79.3%<br>(23)      | -     | -                 | 93.6%<br>(648) | 91.2%<br>(52) |
| Percentage of students who have at least one best friend who made a commitment to stay drug free during the past year            | 73.8%<br>(648)      | 73.8%<br>(648) | 70.0%<br>(304) | 77.8%<br>(343) | 82.4%<br>(14)  | 73.4%<br>(464) | 72.8%<br>(110)      | 65.4%<br>(17)      | -     | -                 | 75.0%<br>(475) | 70.6%<br>(36) |
| <b>Other Drugs</b>   |                     |                |                |                |                |                |                     |                    |       |                   |                |               |
| Percentage of students who tried marijuana before age 11 years   | 1.6%<br>(16)        | 1.6%<br>(16)   | 1.6%<br>(8)    | 1.7%<br>(8)    | 10.0%<br>(2)   | 0.7%<br>(5)    | 3.5%<br>(6)         | 3.2%<br>(1)        | -     | -                 | 1.0%<br>(7)    | 3.4%<br>(2)   |

# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade        | Gender        |              | Race/Ethnicity |              |                     |                    |       |                   | Academics    |               |
|--|---------------------|--------------|---------------|--------------|----------------|--------------|---------------------|--------------------|-------|-------------------|--------------|---------------|
|  | County <sup>1</sup> | 7            | M             | F            | Black          | White        | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs        | Ds/Fs         |
| Average age of first marijuana use (Note: Not a percentage)  | 11.5                | 11.5         | 11.6          | 11.4         | -              | 11.8         | 11.4                | -                  | -     | -                 | 11.6         | 11.5          |
| Percentage of students who used marijuana during the past 30 days  | 5.4%<br>(53)        | 5.4%<br>(53) | 4.4%<br>(22)  | 6.4%<br>(31) | 15.0%<br>(3)   | 3.7%<br>(26) | 10.4%<br>(18)       | 6.5%<br>(2)        | -     | -                 | 3.6%<br>(25) | 16.9%<br>(10) |
| Percentage of students who used marijuana on school property during the past 30 days   | 0.8%<br>(8)         | 0.8%<br>(8)  | 0.6%<br>(3)   | 1.0%<br>(5)  | 5.0%<br>(1)    | 0.3%<br>(2)  | 1.7%<br>(3)         | 6.5%<br>(2)        | -     | -                 | 0.6%<br>(4)  | 1.7%<br>(1)   |
| Percentage of students who sniffed glue, or breathed the contents of spray cans, or inhaled any paints or sprays to get high during the past 30 days | 4.5%<br>(44)        | 4.5%<br>(44) | 3.2%<br>(16)  | 5.8%<br>(28) | 10.0%<br>(2)   | 4.3%<br>(30) | 5.2%<br>(9)         | 3.2%<br>(1)        | -     | -                 | 4.0%<br>(28) | 6.8%<br>(4)   |
| Percentage of students who ever used any form of cocaine   | 7.6%<br>(75)        | 7.6%<br>(75) | 9.1%<br>(46)  | 6.0%<br>(29) | 10.0%<br>(2)   | 7.7%<br>(54) | 7.5%<br>(13)        | 6.7%<br>(2)        | -     | -                 | 6.8%<br>(48) | 6.8%<br>(4)   |
| Percentage of students who ever used steroids  | 7.9%<br>(78)        | 7.9%<br>(78) | 9.3%<br>(47)  | 6.5%<br>(31) | 10.0%<br>(2)   | 8.4%<br>(59) | 6.4%<br>(11)        | 6.7%<br>(2)        | -     | -                 | 7.1%<br>(50) | 6.9%<br>(4)   |
| Percentage of students who ever used methamphetamines  | 7.0%<br>(69)        | 7.0%<br>(69) | 9.0%<br>(45)  | 5.0%<br>(24) | 5.0%<br>(1)    | 7.7%<br>(54) | 4.6%<br>(8)         | 6.7%<br>(2)        | -     | -                 | 6.1%<br>(43) | 6.9%<br>(4)   |
| Percentage of students who ever used a needle to inject any illegal drug into their body   | 6.7%<br>(66)        | 6.7%<br>(66) | 8.6%<br>(43)  | 4.8%<br>(23) | 5.0%<br>(1)    | 7.3%<br>(51) | 5.8%<br>(10)        | 3.6%<br>(1)        | -     | -                 | 6.0%<br>(42) | 5.1%<br>(3)   |
| Percentage of students who ever used synthetic marijuana   | 9.2%<br>(90)        | 9.2%<br>(90) | 10.2%<br>(51) | 8.1%<br>(39) | 10.0%<br>(2)   | 8.9%<br>(62) | 11.0%<br>(19)       | 6.7%<br>(2)        | -     | -                 | 7.4%<br>(52) | 13.6%<br>(8)  |
| Percentage of students who took painkillers such as OxyContin, Codeine, Vidodin, or Percocet without a doctor's prescription during the past 30 days | 5.5%<br>(53)        | 5.5%<br>(53) | 4.1%<br>(20)  | 7.0%<br>(33) | 10.0%<br>(2)   | 4.7%<br>(32) | 6.5%<br>(11)        | 12.9%<br>(4)       | -     | -                 | 4.5%<br>(31) | 8.8%<br>(5)   |
| Percentage of students who took a prescription drug such as Ritalin, Adderall, or Xanax without a doctor's prescription during the past 30 days      | 3.3%<br>(32)        | 3.3%<br>(32) | 3.0%<br>(15)  | 3.6%<br>(17) | 10.0%<br>(2)   | 2.7%<br>(19) | 4.1%<br>(7)         | 9.7%<br>(3)        | -     | -                 | 2.3%<br>(16) | 7.0%<br>(4)   |

# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|   |                     | Grade          | Gender         |                | Race/Ethnicity |                |                     |                    |       |                   | Academics      |               |
|---|---------------------|----------------|----------------|----------------|----------------|----------------|---------------------|--------------------|-------|-------------------|----------------|---------------|
|   | County <sup>1</sup> | 7              | M              | F              | Black          | White          | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs          | Ds/Fs         |
| Percentage of students who took a prescription drug not prescribed to them, including painkillers, during the past 30 days      | 6.2%<br>(61)        | 6.2%<br>(61)   | 5.0%<br>(25)   | 7.5%<br>(36)   | 15.0%<br>(3)   | 5.3%<br>(37)   | 7.0%<br>(12)        | 16.1%<br>(5)       | -     | -                 | 5.1%<br>(36)   | 10.3%<br>(6)  |
| Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months | 6.2%<br>(56)        | 6.2%<br>(56)   | 5.8%<br>(26)   | 6.7%<br>(30)   | 0.0%<br>(0)    | 5.3%<br>(34)   | 9.0%<br>(14)        | 11.1%<br>(3)       | -     | -                 | 6.0%<br>(39)   | 13.0%<br>(7)  |
| <b>Social Norms: Alcohol</b>  |                     |                |                |                |                |                |                     |                    |       |                   |                |               |
| Percentage of students that think none (0%) of the students in their grade drank alcohol sometime in the past month             | 41.0%<br>(369)      | 41.0%<br>(369) | 46.9%<br>(209) | 35.6%<br>(160) | 47.4%<br>(9)   | 40.1%<br>(258) | 42.6%<br>(66)       | 55.6%<br>(15)      | -     | -                 | 37.5%<br>(243) | 47.1%<br>(24) |
| Percentage of students that think few (1-10%) of the students in their grade drank alcohol sometime in the past month           | 33.4%<br>(300)      | 33.4%<br>(300) | 30.5%<br>(136) | 35.8%<br>(161) | 21.1%<br>(4)   | 33.4%<br>(215) | 34.2%<br>(53)       | 33.3%<br>(9)       | -     | -                 | 37.0%<br>(240) | 19.6%<br>(10) |
| Percentage of students that think some (11-30%) of the students in their grade drank alcohol sometime in the past month         | 13.3%<br>(120)      | 13.3%<br>(120) | 12.8%<br>(57)  | 14.0%<br>(63)  | 15.8%<br>(3)   | 14.0%<br>(90)  | 11.0%<br>(17)       | 11.1%<br>(3)       | -     | -                 | 15.0%<br>(97)  | 13.7%<br>(7)  |
| Percentage of students that think half or less (31-50%) of the students in their grade drank alcohol sometime in the past month | 6.8%<br>(61)        | 6.8%<br>(61)   | 5.8%<br>(26)   | 7.8%<br>(35)   | 5.3%<br>(1)    | 6.8%<br>(44)   | 7.1%<br>(11)        | 0.0%<br>(0)        | -     | -                 | 6.0%<br>(39)   | 9.8%<br>(5)   |
| Percentage of students that think half or more (51-70%) of the students in their grade drank alcohol sometime in the past month | 3.0%<br>(27)        | 3.0%<br>(27)   | 1.3%<br>(6)    | 4.7%<br>(21)   | 5.3%<br>(1)    | 3.1%<br>(20)   | 2.6%<br>(4)         | 0.0%<br>(0)        | -     | -                 | 2.5%<br>(16)   | 3.9%<br>(2)   |
| Percentage of students that think most (71-90%) of the students in their grade drank alcohol sometime in the past month         | 1.6%<br>(14)        | 1.6%<br>(14)   | 1.8%<br>(8)    | 1.3%<br>(6)    | 0.0%<br>(0)    | 2.0%<br>(13)   | 0.6%<br>(1)         | 0.0%<br>(0)        | -     | -                 | 1.5%<br>(10)   | 3.9%<br>(2)   |
| Percentage of students that think almost all (91-100%) of the students in their grade drank alcohol sometime in the past month  | 0.9%<br>(8)         | 0.9%<br>(8)    | 0.9%<br>(4)    | 0.9%<br>(4)    | 5.3%<br>(1)    | 0.5%<br>(3)    | 1.9%<br>(3)         | 0.0%<br>(0)        | -     | -                 | 0.5%<br>(3)    | 2.0%<br>(1)   |
| <b>Social Norms: Marijuana</b>  |                     |                |                |                |                |                |                     |                    |       |                   |                |               |
| Percentage of students that think none (0%) of the students in their grade used marijuana sometime in the past month            | 47.4%<br>(427)      | 47.4%<br>(427) | 50.8%<br>(228) | 44.3%<br>(199) | 57.9%<br>(11)  | 46.6%<br>(301) | 44.8%<br>(69)       | 63.0%<br>(17)      | -     | -                 | 45.1%<br>(293) | 44.2%<br>(23) |

# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade          | Gender         |                | Race/Ethnicity |                |                     |                    |       |                   | Academics      |               |
|--|---------------------|----------------|----------------|----------------|----------------|----------------|---------------------|--------------------|-------|-------------------|----------------|---------------|
|  | County <sup>1</sup> | 7              | M              | F              | Black          | White          | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs          | Ds/Fs         |
| Percentage of students that think few (1-10%) of the students in their grade used marijuana sometime in the past month   | 28.6%<br>(258)      | 28.6%<br>(258) | 28.1%<br>(126) | 29.2%<br>(131) | 5.3%<br>(1)    | 30.8%<br>(199) | 26.0%<br>(40)       | 14.8%<br>(4)       | -     | -                 | 32.2%<br>(209) | 19.2%<br>(10) |
| Percentage of students that think some (11-30%) of the students in their grade used marijuana sometime in the past month   | 11.4%<br>(103)      | 11.4%<br>(103) | 11.1%<br>(50)  | 11.6%<br>(52)  | 31.6%<br>(6)   | 11.5%<br>(74)  | 9.1%<br>(14)        | 11.1%<br>(3)       | -     | -                 | 12.3%<br>(80)  | 15.4%<br>(8)  |
| Percentage of students that think half or less (31-50%) of the students in their grade used marijuana sometime in the past month                                 | 5.2%<br>(47)        | 5.2%<br>(47)   | 4.7%<br>(21)   | 5.6%<br>(25)   | 0.0%<br>(0)    | 5.3%<br>(34)   | 6.5%<br>(10)        | 3.7%<br>(1)        | -     | -                 | 4.8%<br>(31)   | 7.7%<br>(4)   |
| Percentage of students that think half or more (51-70%) of the students in their grade used marijuana sometime in the past month                                 | 4.1%<br>(37)        | 4.1%<br>(37)   | 2.9%<br>(13)   | 5.3%<br>(24)   | 0.0%<br>(0)    | 3.1%<br>(20)   | 8.4%<br>(13)        | 7.4%<br>(2)        | -     | -                 | 3.2%<br>(21)   | 11.5%<br>(6)  |
| Percentage of students that think most (71-90%) of the students in their grade used marijuana sometime in the past month   | 1.8%<br>(16)        | 1.8%<br>(16)   | 1.1%<br>(5)    | 2.4%<br>(11)   | 0.0%<br>(0)    | 1.7%<br>(11)   | 2.6%<br>(4)         | 0.0%<br>(0)        | -     | -                 | 1.2%<br>(8)    | 0.0%<br>(0)   |
| Percentage of students that think almost all (91-100%) of the students in their grade used marijuana sometime in the past month                                  | 1.4%<br>(13)        | 1.4%<br>(13)   | 1.3%<br>(6)    | 1.6%<br>(7)    | 5.3%<br>(1)    | 1.1%<br>(7)    | 2.6%<br>(4)         | 0.0%<br>(0)        | -     | -                 | 1.1%<br>(7)    | 1.9%<br>(1)   |
| <b>Social Norms: Illegal Drug</b>  |                     |                |                |                |                |                |                     |                    |       |                   |                |               |
| Percentage of students that think none (0%) of the students in their grade used an illegal drug in the past month (not including marijuana)                      | 57.5%<br>(514)      | 57.5%<br>(514) | 61.6%<br>(273) | 53.3%<br>(239) | 63.2%<br>(12)  | 56.1%<br>(359) | 61.3%<br>(95)       | 69.2%<br>(18)      | -     | -                 | 54.4%<br>(351) | 62.7%<br>(32) |
| Percentage of students that think few (1-10%) of the students in their grade used an illegal drug sometime in the past month (not including marijuana)           | 26.7%<br>(239)      | 26.7%<br>(239) | 25.3%<br>(112) | 28.1%<br>(126) | 21.1%<br>(4)   | 27.7%<br>(177) | 23.9%<br>(37)       | 19.2%<br>(5)       | -     | -                 | 30.4%<br>(196) | 21.6%<br>(11) |
| Percentage of students that think some (11-30%) of the students in their grade used an illegal drug sometime in the past month (not including marijuana)         | 6.8%<br>(61)        | 6.8%<br>(61)   | 6.1%<br>(27)   | 7.6%<br>(34)   | 10.5%<br>(2)   | 7.7%<br>(49)   | 3.2%<br>(5)         | 7.7%<br>(2)        | -     | -                 | 7.4%<br>(48)   | 5.9%<br>(3)   |
| Percentage of students that think half or less (31-50%) of the students in their grade used an illegal drug sometime in the past month (not including marijuana) | 4.0%<br>(36)        | 4.0%<br>(36)   | 3.2%<br>(14)   | 4.9%<br>(22)   | 0.0%<br>(0)    | 4.2%<br>(27)   | 4.5%<br>(7)         | 0.0%<br>(0)        | -     | -                 | 3.9%<br>(25)   | 5.9%<br>(3)   |



# Alcohol and Other Drugs: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                     | Grade        | Gender      |              | Race/Ethnicity |              |                     |                    |       |                   | Academics    |             |
|--|---------------------|--------------|-------------|--------------|----------------|--------------|---------------------|--------------------|-------|-------------------|--------------|-------------|
|  | County <sup>1</sup> | 7            | M           | F            | Black          | White        | Hispanic/<br>Latino | American<br>Indian | Asian | Arab/<br>Chaldean | As/Bs        | Ds/Fs       |
| Percentage of students that think half or more (51-70%) of the students in their grade used an illegal drug sometime in the past month (not including marijuana) | 2.2%<br>(20)        | 2.2%<br>(20) | 1.6%<br>(7) | 2.9%<br>(13) | 0.0%<br>(0)    | 2.2%<br>(14) | 1.9%<br>(3)         | 3.8%<br>(1)        | -     | -                 | 2.2%<br>(14) | 2.0%<br>(1) |
| Percentage of students that think most (71-90%) of the students in their grade used an illegal drug sometime in the past month (not including marijuana)         | 1.6%<br>(14)        | 1.6%<br>(14) | 1.4%<br>(6) | 1.8%<br>(8)  | 0.0%<br>(0)    | 1.6%<br>(10) | 2.6%<br>(4)         | 0.0%<br>(0)        | -     | -                 | 1.1%<br>(7)  | 0.0%<br>(0) |
| Percentage of students that think almost all (91-100%) of the students in their grade used an illegal drug sometime in the past month (not including marijuana)  | 1.1%<br>(10)        | 1.1%<br>(10) | 0.9%<br>(4) | 1.3%<br>(6)  | 5.3%<br>(1)    | 0.6%<br>(4)  | 2.6%<br>(4)         | 0.0%<br>(0)        | -     | -                 | 0.6%<br>(4)  | 2.0%<br>(1) |

For additional Michigan Profile for Healthy Youth information, please log on to [www.michigan.gov/miphy](http://www.michigan.gov/miphy)

<sup>1</sup> County percentages are representative of the results as reported by 7th graders in participating buildings.

N/A = Data not available

- = Data suppressed due to fewer than 10 valid student surveys

The contents of this report were developed under a grant from the United States Department of Education (Safe and Supportive Schools Grant (CFDA #84.184Y)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government.