Michigan Profile for Healthy Youth: 2015-2016



Lenawee

MiPHY Regional Demographics Summary Middle School

The Michigan Profile for Healthy Youth (MiPHY) was completed by 7,9 and 11 grade students in Michigan. The results in this report reflect student survey responses from middle schools that voluntarily participated in your county and may not be representative of all middle schools in the county. Characteristics of the participating districts and buildings are as follows:

	Michigan Profile for Healthy Youth District Participation											
	#	Total	%									
	Participatin g Districts ¹	Districts in County	Participating Districts									
	Districts	County	Districts									
Public	11	13	84.6%									
Public Districts with Private School	3	3	100.0%									
Public School Academy	0	0	0.0%									
Total ²	11	13	84.6%									

¹ A district is counted as participating if at least one building takes the survey.

	Michigan Profile for Healthy Youth Build Participation										
	#	Total	%								
	Participating Buildings	Buildings in County ³	Participating Buildings								
Public	11	26	42.3%								
Private	0	9	0.0%								
Public School Academy	0	0	0.0%								
Total	11	26	42.3%								

³ Buildings that include 7th grade in the county as identified in the Educational Entity Master.

Students completed an on-line, anonymous questionnaire. Survey procedures were designed to protect the privacy of students by allowing for anonymous and voluntary participation. Local parental notification procedures were followed before survey administration.

Reports on data results are aggregated across district. To preserve confidentiality, names and results of individual districts are not provided in this report.

The contents of this report were developed under a grant from the United States Department of Education (Safe and Supportive Schools Grant (CFDA #84.184Y)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government.

02-12-2018 Tobacco: Middle School Page 1 of 8

² Public districts may be represented in the "Public" and "Public District with Private School" categories, but are only counted once in the total.



Michigan Profile for Healthy Youth 2015-2016



Lenawee

Student Demographics Summary Middle School

The Michigan Profile for Healthy Youth (MiPHY) was completed by 7, 9, and 11th grade students in Michigan. The results in this report reflect student survey responses from middle schools that voluntarily participated in your county and may not be representative of all middle school students in the county. Characteristics of the participating middle school students are as follows:

	N	Missing	%		N	Missing	%		N	Missing	%
County (7th grade)	999	29	100.0%	<u>Gender</u>				Race / Ethnicity			
				Males	509	18	51.0%	American Indian	32	0	3.2%
<u>Grade</u>				Females	487	11	48.7%	Arab/Chaldean	8	3	0.8%
7th grade	999	17	100.0%					Asian	8	0	0.8%
				<u>Academics</u>				Black	20	1	2.0%
				As/Bs	711	14	71.2%	Hispanic/Latino	176	9	17.6%
				Ds/Fs	61	2	6.1%	White	709	18	71.0%

Students completed an on-line, anonymous questionnaire. Survey procedures were designed to protect the privacy of students by allowing for anonymous and voluntary participation. Local parental notification procedures were followed before survey administration.

Reports on data results are available by risk behavior and domain and are aggregated by each of the above subgroups, if possible. Results of any category are suppressed if less than 10 valid student responses are available and is identified by a "-." Comparison statewide data are provided from the Michigan Youth Risk Behavior Survey.

Notes and aggregation information:

N = Number of unweighted valid student surveys. Valid surveys are those containing at least 20 or more complete responses after data cleaning. Missing = number of non-valid student surveys that were removed due to data cleaning rules.

% = the unweighted percentage of valid student surveys.

Academics uses student self-report of grades earned in school to estimate academic achievement. Students with high grades are those who report getting mostly As and mostly Bs; students with low grades are those who report getting mostly Ds and mostly Fs.

Race/ethnicity was assessed through use of questions taken directly from the Youth Risk Behavior Survey developed by the Centers for Disease Control and Prevention. Students can select more than one race option. For this summary, students were classified as American Indian, Asian, Black (non-Hispanic), or White (non-Hispanic) if they only selected the respective group. Students were classified as Hispanic/Latino if they answered yes to, "Are you Hispanic or Latino?" Students were classified as Arab/Chaldean if they answered yes to "Are you Arab or Chaldean?" Dissaggregation of the race/ethnicity categories for those who indicated, "Native Hawaiian or Other Pacific Islander" and Multiple Race (includes students who selected more than one race category and answered no to, "Are you Hispanic or Latino?" or no to "Are you Arab or Chaldean?") has been suppressed.

The contents of this report were developed under a grant from the United States Department of Education (Safe and Supportive Schools Grant (CFDA #84.184Y)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government.

02-12-2018 Tobacco: Middle School Page 3 of 8



Michigan Profile for Healthy Youth 2015-2016



Lenawee

Tobacco: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

		Grade Gender Race/Ethnicity										emics
	County ¹	7	М	F	Black	White	Hispanic/ Latino	American Indian	Asian	Arab/ Chaldean	As/Bs	Ds/Fs
Attitudes Toward Tobacco												
Percentage of students who reported sort of easy or very easy to get cigarettes	27.1% (255)	27.1% (255)	26.4% (127)	27.8% (128)	36.8% (7)	23.9% (160)	32.5% (54)	25.8% (8)	-	-	24.9% (167)	28.1%
Percentage of students who reported smoking one or more packs of cigarettes per day to be a moderate or great risk	77.9% (749)	77.9% (749)	78.4% (381)	77.6% (368)	68.4% (13)	80.2% (548)	73.7% (123)	66.7% (20)	-	-	82.8% (570)	54.5% (30)
Percentage of students who reported their friends felt smoking tobacco to be wrong or very wrong	90.4% (876)	90.4% (876)	91.0% (447)	89.9% (427)	73.7% (14)	93.2% (645)	83.8% (140)	80.0% (24)	-	-	92.4% (643)	84.2% (48)
Percentage of students who reported they thought all of their friends had smoked cigarettes recently	2.3% (22)	2.3% (22)	3.3% (16)	1.3% (6)	5.0% (1)	1.6% (11)	1.8% (3)	10.0% (3)	-	-	2.0% (14)	3.5%
Percentage of students who reported they thought most of their friends had smoked cigarettes recently	1.5% (15)	1.5% (15)	1.0% (5)	1.9% (9)	5.0% (1)	0.9%	2.4%	6.7% (2)	-	-	1.1% (8)	1.8%
Percentage of students who reported they thought some of their friends had smoked cigarettes recently	16.4% (159)	16.4% (159)	15.3% (75)	17.4% (83)	20.0%	13.2% (91)	29.3% (49)	16.7% (5)	-	-	14.4% (101)	26.3% (15)
Percentage of students who reported they thought none of their friends had smoked cigarettes recently	79.8% (774)	79.8% (774)	80.4% (395)	79.4% (378)	70.0% (14)	84.4% (584)	66.5% (111)	66.7% (20)	-	-	82.5% (578)	68.4% (39)
Percentage of students who reported their parents felt cigarette use to be wrong or very wrong	98.0% (949)	98.0% (949)	98.4% (483)	97.7% (463)	95.0% (19)	98.6% (681)	98.8% (165)	93.3% (28)	-	-	98.1% (684)	94.7% (54)

Tobacco: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

		Grade	Grade Gender			Race/Ethnicity							
	County ¹	7	М	F	Black	White	Hispanic/ Latino	American Indian	Asian	Arab/ Chaldean	As/Bs	Ds/Fs	
Tobacco													
Percentage of students who smoked a whole cigarette for the first time before age 11 years	3.1% (31)	3.1% (31)	3.4% (17)	2.9% (14)	10.0% (2)	2.0% (14)	5.7% (10)	3.2% (1)	-	-	1.6% (11)	8.5% (5)	
Average age of first tobacco use (Note: Not a percentage)	10.8	10.8	10.5	11.0	-	10.8	10.8	=	-	-	10.9	10.7	
Percentage of students who smoked cigarettes during the past 30 days	5.1% (51)	5.1% (51)	4.8% (24)	5.6% (27)	10.0%	3.8% (27)	7.4% (13)	12.9% (4)	1-	1,2	2.4% (17)	17.29 (10)	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days (Frequent)	0.6%	0.6%	0.8%	0.4%	5.0% (1)	0.3%	1.1% (2)	3.2% (1)	-	-	0.3%	0.0%	
Among students who smoked recently, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days	4.3%	4.3%	4.5% (1)	4.0%	-	3.8%	0.0%		-	-	6.3% (1)	-	
Among students who smoked recently, the percentage who usually got their own cigarettes by buying them from a vending machine during the past 30 days	2.1%	2.1%	4.5% (1)	0.0%	=	0.0%	0.0%	-	-	-	0.0%	-	
Among students who smoked recently, the percentage who usually got their own cigarettes by giving someone else money to buy them during the past 30 days	14.9% (7)	14.9% (7)	18.2% (4)	12.0% (3)	-	7.7%	33.3% (4)		-	-	6.3% (1)	-	
Among students who smoked recently, the percentage who usually got their own cigarettes by borrowing or bumming them from someone else during the past 30 days	19.1% (9)	19.1% (9)	9.1%	28.0%	-	19.2% (5)	16.7% (2)	-	-	-	25.0% (4)	-	
Among students who smoked recently, the percentage who usually got their own cigarettes from a person 18 years old or older during the past 30 days	6.4%	6.4% (3)	4.5% (1)	8.0%	-	0.0%	16.7% (2)		-	-	6.3% (1)	-	
Among students who smoked recently, the percentage who usually got their own cigarettes by taking them from a store during the past 30 days	0.0%	0.0%	0.0%	0.0%	-	0.0%	0.0%	-	-	-	0.0%	-	

02-12-2018 Tobacco: Middle School Page 5 of 8

Tobacco: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

		Grade Gender Race/Ethnicity									Acad	emics
	County ¹	7	м	F	Black	White	Hispanic/ Latino	American Indian	Asian	Arab/ Chaldean	As/Bs	Ds/Fs
Among students who smoked recently, the percentage who usually got their own cigarettes by taking them from a family member during the past 30 days	25.5% (12)	25.5% (12)	22.7% (5)	28.0%	-	38.5% (10)	8.3% (1)	-	-	-	25.0% (4)	-
Among students who smoked recently, the percentage who usually got their own cigarettes by some other way than the question options provided during the past 30 days	27.7% (13)	27.7% (13)	36.4% (8)	20.0%	-	30.8%	25.0% (3)	-	-	-	31.3% (5)	-
Percentage of students who smoked cigarettes on school property during the past 30 days	0.8%	0.8%	0.8% (4)	0.8% (4)	0.0%	0.7% (5)	0.6%	6.5% (2)	-	-	0.3%	3.4% (2)
Percentage of students who used chewing tobacco, snuff, or dip during the past 30 days	2.5% (25)	2.5% (25)	3.2% (16)	1.9% (9)	0.0%	2.3% (16)	1.7% (3)	12.9% (4)	-	-	1.0% (7)	10.2%
Percentage of students who used chewing tobacco, snuff, or dip on school property during the past 30 days	0.9%	0.9%	1.2% (6)	0.6%	5.0% (1)	0.7% (5)	0.6% (1)	6.5% (2)	-	-	0.6%	0.0%
Percentage of students who smoked cigars, cigarillos, or little cigars during the past 30 days	3.0% (30)	3.0% (30)	3.2% (16)	2.9% (14)	5.0% (1)	2.1% (15)	4.0% (7)	12.9% (4)	-	-	1.8% (13)	5.1% (3)
Percentage of students who used an electronic vapor product during the past 30 days	8.1% (80)	8.1% (80)	7.2% (36)	9.1% (44)	15.0% (3)	5.7% (40)	14.9% (26)	12.9% (4)	-	-	4.1% (29)	28.8%
Percentage of students who used any tobacco (smoked cigarettes or cigars or used chewing tobacco, snuff, or dip) during the past 30 days	6.0% (59)	6.0% (59)	5.2% (26)	6.9% (33)	10.0% (2)	4.4% (31)	9.2% (16)	16.1% (5)	-	-	3.0% (21)	19.0% (11)
Physical Health												
Percentage of students who were exposed to second hand smoke during the past 7 days	41.2% (372)	41.2% (372)	39.0% (176)	43.4% (195)	47.4% (9)	38.4% (247)	46.5% (74)	30.8% (8)	-	-	36.8% (240)	52.9% (27)
Percentage of students who were exposed to second hand smoke daily during the past 7 days	11.3% (102)	11.3% (102)	9.3% (42)	13.1% (59)	21.1% (4)	9.0% (58)	13.8% (22)	15.4% (4)	-	-	8.1% (53)	19.6% (10)

02-12-2018 Tobacco: Middle School Page 6 of 8

Tobacco: Middle School

% = unweighted percentage of reported response. (n) = number of students with reported response.

		Grade Gender Race/Ethnicity									Acad	emics
	County ¹	7	М	F	Black	White	Hispanic/ Latino	American Indian	Asian	Arab/ Chaldean	As/Bs	Ds/Fs
Percentage of students who had ever been told by a doctor or nurse that they had asthma	21.7% (199)	21.7% (199)	24.2% (110)	19.1% (88)	30.0% (6)	19.2% (126)	31.3% (50)	29.6%	-	-	20.6% (136)	28.3% (15)
Percentage of students who had been told by a doctor or nurse that they had asthma and still have asthma (i.e. current asthma)	60.3% (120)	60.3% (120)	58.2% (64)	62.5% (55)	-	59.5% (75)	60.0% (30)	-	-	-	55.1% (75)	53.3%
Social Norms: Tobacco												
Percentage of students that think none (0%) of the students in their grade smoke one or more cigarettes a day	44.2% (399)	44.2% (399)	50.9% (228)	37.9% (171)	52.6% (10)	44.0% (284)	46.5% (72)	37.0% (10)	-	-	42.0% (273)	45.1% (23)
Percentage of students that think few (1-10%) of the students in their grade smoke one or more cigarettes a day	36.4% (328)	36.4% (328)	30.6% (137)	41.9% (189)	15.8% (3)	36.7% (237)	32.9% (51)	51.9% (14)	-	-	40.3% (262)	23.5% (12)
Percentage of students that think some (11-30%) of the students in their grade smoke one or more cigarettes a day	9.2% (83)	9.2% (83)	9.4% (42)	9.1% (41)	10.5% (2)	10.5% (68)	5.8% (9)	7.4% (2)	-	-	9.4% (61)	11.8% (6)
Percentage of students that think half or less (31-50%) of the students in their grade smoke one or more cigarettes a day	5.4% (49)	5.4% (49)	4.9% (22)	5.8% (26)	15.8% (3)	4.8% (31)	8.4% (13)	3.7% (1)	-	-	4.8% (31)	11.8% (6)
Percentage of students that think half or more (51-70%) of the students in their grade smoke one or more cigarettes a day	2.8% (25)	2.8% (25)	2.0%	3.5% (16)	0.0%	2.5% (16)	2.6%	0.0% (0)	-	-	2.2% (14)	5.9% (3)
Percentage of students that think most (71-90%) of the students in their grade smoke one or more cigarettes a day	1.1% (10)	1.1% (10)	0.9%	1.3% (6)	0.0%	1.1% (7)	1.9% (3)	0.0% (0)	-	-	1.1% (7)	0.0%
Percentage of students that think almost all (91-100%) of the students in their grade smoke one or more cigarettes a day	0.9%	0.9%	1.3% (6)	0.4%	5.3% (1)	0.5%	1.9% (3)	0.0% (0)	-	-	0.3%	2.0%

For additional Michigan Profile for Healthy Youth information, please log on to www.michigan.gov/miphy

N/A = Data not available

- = Data suppressed due to fewer than 10 valid student surveys

02-12-2018 Tobacco: Middle School Page 7 of 8

¹ County percentages are representative of the results as reported by 7th graders in participating buildings.

The contents of this report were developed under a grant from the United States Department of Education (Safe and Supportive Schools Grant (CFDA #84.184Y)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government.

02-12-2018 Tobacco: Middle School Page 8 of 8